

# SATWIPE<sup>®</sup>s Wipes (C3)

## Nonwoven 100% polyester wipes presaturated with chemical blends

The SATWIPE<sup>®</sup>s C3 product family is made of hydraulically entangled 100% nonwoven polyester fabric to create a soft, durable and clean wipe. Saturated with specific chemical blends, the wipes provide a safe cleaning solution. Presaturation eliminates the need for solvent bottles, reduces solvent handling and solvent use by up to 35%, and improves the consistency of wipe wetness, which allows for a more uniform distribution of solution.

SATWIPE<sup>®</sup>s polyester wipes comes as a roll of presaturated wipes dispensed through a durable center-pull reusable canister. Refill rolls are available.



Features	Benefits
Solvent specific color-coded labeling	• Easy solvent identification
Perforated rolls with self-closing lids	• Lids close to prevent wipes from drying out
Reusable canister	• Economical and solvent compatible
Various solvent blends	• Meet different facility needs
100% polyester nonwoven fabric	• Soft and durable for critical cleaning tasks

Part No.	Description	Size	Packaging	Canister Part No.
SWC30048	SATWIPE Wipes C3 Presaturated with 95% IPA/5% DI water, 477 ml	4.25" x 4" (108 x 102 mm)	185/roll; 12 rolls/case	SWCN1082
SWC30080	SATWIPE Wipes C3 Presaturated with 95% IPA/5% DI water, 450 ml	4.25" x 4" (108 x 102 mm)	185/roll; 18 rolls/case	SWCN1082
SWC30085	SATWIPE Wipes C3 Presaturated with 100% IPA, 450 ml	4.25" x 4" (108 x 102 mm)	185/roll; 18 rolls/case	SWCN1082
SWC30029	SATWIPE Wipes C3 Presaturated with 95% IPA/5% DI water, 763 ml	5.8" x 6" (147 x 150 mm)	500/roll; 6 rolls/case	SWCN0005
SWC30072	SATWIPE Wipes C3 Presaturated with 85% IPA/15% DI water, 2703 ml	6" x 9" (150 x 230 mm)	100/roll; 12 rolls/case	SWCN0089
SAT-C3-100	SATWIPE Wipes C3 Presaturated with 100% IPA, 750 ml	6" x 9" (150 x 230 mm)	100/roll; 12 rolls/case	SWCN0089
SAT-C3-7030	SATWIPE Wipes C3 Presaturated with 70% IPA/30% DI water, 745 ml	6" x 9" (150 x 230 mm)	100/roll; 12 rolls/case	SWCN0089
SAT-C3-8515	SATWIPE Wipes C3 Presaturated with 85% IPA/15% DI water, 725 ml	6" x 9" (150 x 230 mm)	100/roll; 12 rolls/case	SWCN0089
SAT-C3-AC	SATWIPE Wipes C3 Presaturated with 100% Acetone, 750 ml	6" x 9" (150 x 230 mm)	100/roll; 12 rolls/case	SWCN0092
SAT-C3-VMP	SATWIPE Wipes C3 Presaturated with 100% VMP Naphtha, 750 ml	6" x 9" (150 x 230 mm)	100/roll; 12 rolls/case	SWCN0240

## Product Information

Material	100% polyester
Construction	Hydroentangled nonwoven

Attribute (units)	Typical Value	Test Method
Basis weight, (g/m <sup>2</sup> )	69	
Non-volatile residue, NVR		IENT-RP-CC004.2, Sec. 6.1.2
In deionized water; (g/m <sup>2</sup> )	0.055	
In isopropyl alcohol; (g/m <sup>2</sup> )	0.008	
Specific ions		IENT-RP-CC004.2, Sec. 6.2.2
Sodium; (ppm)	1.9	
Chloride; (ppm)	4.7	
Particles, readily releasable P ≥ 3.0µm; (x10 <sup>6</sup> /m <sup>2</sup> )	16.5	IENT-RP-CC004.2, Sec. 5.1
Fibers ≥ 100µm; (x 10 <sup>3</sup> /m <sup>2</sup> )	1.0	IENT-RP-CC004.2, Sec. 5.2

Contec standard canisters are made of High Density Polyethylene (HDPE) and are both reusable and recyclable. These canisters have been proven to withstand contact with the harshest of solvents. The triple threading ensures that the lid (when screwed on properly) will stay on the canister. The variety of lids choices ensures that there is a lid to respond to every need.

Canister Part No.	Diameter	Height
SWCN0005, SWCN0089, SWCN0092, SWCN0240	4 15/16"	7 3/8"
SWCN1082	4 15/16"	4 3/4"

Recycle Symbol

HDPE



Part No.	VOC Content pounds/pouch	VOC Content pounds/case
SWC30048	0.81	9.69
SWC30080	0.76	13.71
SWC30085	0.78	14.07
SWC30029	1.29	15.49
SWC30072	4.22	25.35
SAT-C3-100	1.30	15.63
SAT-C3-7030	1.00	12.01
SAT-C3-8515	1.13	13.56
SAT-C3-VMP	1.26	15.08
SAT-C3-AC*	-	-

\*Acetone is excluded from the definition of VOC per 40 CFR Part 51.100 on the basis that the compounds have been determined to have negligible photochemical reactivity.

## Notes

- a) The data shown are typical values and should not be used as product specifications.
- b) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- c) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

PDSW083 | 040125

Copyright © 2025 Contec, Inc. All rights reserved.