


Polywipe-C Wipes

100% interlock knit polyester wipes

Polywipe-C Wipes are made from a lightweight, 100% polyester, interlock knit fabric. Knife cut and laundered to create a soft and non-abrasive wipe, Polywipe-C wipes are ideal for use on surfaces that are vulnerable to scratching. These wipes are chemical resistant and exceptionally low in particles and extractable residue, making them ideal for critical cleaning. They have good sorbency with solvents and are available in both bulk and stacked packaging configurations. Polywipe-C wipes are a cost-effective solution for customers who need to upgrade from less critical wipes.




Meets current revision of specification AMS3819.

Features	Benefits
Knife-cut edge	<ul style="list-style-type: none"> • Softer edge is ideal for use on surfaces which are vulnerable to scratching
Cleanroom-laundered	<ul style="list-style-type: none"> • Low in both particles and extractables to reduce possibility of contamination
Good sorbency	<ul style="list-style-type: none"> • High solvent compatibility
Strong and durable	<ul style="list-style-type: none"> • Abrasion and chemical resistant

Part no.	Description	Size	Packaging
PC-99	Polywipe-C Wipes Flat stacked	9" x 9" (230 x 230 mm)	75/bag; 24 bags/case;
PC-99B	Polywipe-C Wipes Bulk	9" x 9" (230 x 230 mm)	300/bag; 5 bags/case
PC-1212	Polywipe-C Wipes Flat stacked	12" x 12" (305 x 305 mm)	75/bag; 10 bags/case

Product Information	
Material	100% polyester
Construction	Interlock knit



Attributes (units)	Typical Value*		Test Method
	Bulk	Flat-stacked	
Basis weight (g/m ²)	120	116	
Sorbancy in water Extrinsic (mL/m ²)	265	292	IEST-RP-CC004.3, Sec. 8.1
Sorbency rate; (seconds)	<1	1	
Non-volatile residue, NVR In deionized water (g/m ²) In isopropyl alcohol (g/m ²)	0.011 0.009	0.006 0.011	IEST-RP-CC004.2, Sec. 6.1.2
Specific ions Sodium; (ppm) Chloride; (ppm)	0.20 0.05	0.386 0.105	IEST-RP-CC004.3, Sec. 7.2.2
Particles, readily releasable P ≥ 0.5µm (x10 ⁶ /m ²)	4.01	3.7	IEST-RP-CC004.2, Sec. 5.1
Fibers > 100µm (x10 ³ /m ²)	1.26	5.4	IEST-RP-CC004.2, Sec. 5.2

*Notes

- a) The data shown are typical values and should not be used as product specifications.
b) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
c) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

Test Methods:

1. CTM = Contec Test Method
2. IEST-RP-CC004.3 = Evaluating Wiping Materials Used in Cleanroom and Other Controlled Environments, Institute of Environmental Sciences and Technology, Rolling Meadows IL